

Cross-Scale Predictive Dictionaries

Vishwanath Saragadam, *Student Member, IEEE*, Aswin C. Sankaranarayanan, *Member, IEEE*,
and Xin Li, *Fellow, IEEE*

Abstract—Sparse representations using learnt dictionaries provide an efficient model especially for signals that do not enjoy alternate analytic sparsifying transformations. However, solving inverse problems with sparsifying dictionaries can be computationally expensive especially when the dictionary under consideration has a large number of atoms. In this paper, we incorporate additional structure on to dictionary-based sparse representations to enable speedups when solving sparse approximation problems. The specific structure that we endow onto sparse models is that of a multi-scale modeling where the sparse representation at each scale is constrained by the sparse representation at coarser scales. We show that this cross-scale predictive model delivers significant speedups, often in the range of 10-60 \times , with little loss in accuracy for denoising and compressive sensing of a wide range of visual signals including images, videos, and light fields.

Index Terms—Sparse representations, Orthogonal Matching Pursuit, Overcomplete dictionary, Multiscale modeling

I. INTRODUCTION

Visual signals exhibit strong correlation across scales that is often modeled and exploited to enhance image processing algorithms [2], [28]. An important example of this idea is the multi-scale coding of images using the wavelet-tree model which provides a sparse as well as a *predictive* model for the occurrence of non-zero wavelet coefficients across scales [33]. Specifically, the wavelet tree model arranges the wavelet coefficients of an image onto a tree such that nodes on the tree correspond to the coefficients and each level corresponds to coefficients associated with a particular scale. Under such an organization, the dominant non-zero coefficients form a connected rooted sub-tree [5], i.e., children of a node with small wavelet coefficients are expected to take small values as well. The wavelet tree model is central to many compression [29], sensing [7], [9], and processing algorithms [5]. While the wavelet tree model provides excellent approximation capabilities for images, similar models with cross-scale predictive property are largely unknown for other visual signals including videos, hyperspectral images, and light-fields.

Overcomplete dictionaries learned from dataset provide an alternate approach for a large class of signals in terms of enabling sparse representations [23]. Given a large amount of data, there are many approaches that *learn* a dictionary such that the training dataset can be expressed as a sparse linear combination of the elements/atoms of the dictionary. The reliance on learning, as opposed to analytic constructions as in the case of wavelets, provides immense flexibility towards obtaining a dictionary that is tuned to the specifics of a particular signal class or application. While much work exists on learning dictionaries that adapt to signal classes, not much attention has been paid to incorporating predictive models which enable speed ups by exploiting correlations across



Fig. 1: Left to right: Bayer image, image reconstructed using OMP, and image reconstructed using the proposed method. While OMP takes 16 minutes, the proposed method takes only 1.5 minutes with little or no loss in reconstruction quality.

spatial, temporal and angular scales for compression [29] and computation [28].

In this paper, we propose a multi-scale dictionary model for visual signals that naturally enables cross-scale prediction, thus combining adaption to signal classes and speed ups offered by predictive models. Our contributions are as follows.

- **Model.** We propose a novel signal model that uses multi-scale sparsifying dictionaries to provide cross-scale prediction for a wide array of visual signals. Specifically, given the set of sparsifying dictionaries — one for each scale — the non-zero support patterns of a signal and its downsampled counterparts are constrained to only exhibit specific pre-determined patterns.
- **Computational speedups.** The proposed signal model, with its constrained support pattern across scales, naturally enables cross-scale prediction that can be used to speedup the runtime of algorithms like orthogonal matching pursuit (OMP) [24]. Figure 1 shows speed-ups obtained for demosaicing of images; here, we obtain a 10 \times speed up with little loss in accuracy over a similar-sized dictionary. We term our algorithm, *zero tree OMP*, since the sparse representation forms a zero tree.
- **Learning.** Given large collections of training data, we propose a simple training method, which is modified from the classical K-SVD algorithm [3], to obtain dictionaries that are consistent with our proposed model.
- **Validation.** We verify empirically that the model works through simulation on an array of visual signals including images, videos, and light-field images.

We note that a short version of this paper appeared at the IEEE International Conference on Image Processing [27]. This journal paper extends the results to a large class of signals including light-fields as well as shows results on real data captured from compressive sensing hardware.

II. PRIOR WORK

A. Notation

We denote vectors in bold font and scalars/matrices in capital letters. A vector is said to be K -sparse if it has at most K non-zero entries. The list of indices of non-zero entries of a sparse vector is termed its support; the support of a vector \mathbf{s} is denoted as Ω_s . The ℓ_0 -norm of a vector is the number of non-zero entries. Finally, given a dictionary $D \in \mathbb{R}^{N \times T}$ and a support set Ω , $D_{|\Omega}$ refers to the matrix of size $N \times |\Omega|$ formed by selecting columns of D corresponding to the elements of Ω ; similarly, given a vector \mathbf{s} , $\mathbf{s}_{|\Omega}$ refers to an $|\Omega|$ -dimensional vector formed by selecting entries in \mathbf{s} corresponding to Ω .

B. Sparse approximation

Sparse approximation problems arise in a wide range of settings [11]. The broad problem definition is as follows: given a vector $\mathbf{x} \in \mathbb{R}^N$, a matrix $D \in \mathbb{R}^{N \times T}$, we solve

$$(P0) \quad \min_{\mathbf{s} \in \mathbb{R}^T} \|\mathbf{x} - D\mathbf{s}\|_2 \quad \text{s.t.} \quad \|\mathbf{s}\|_0 \leq K.$$

While the problem itself is NP-hard [22], there are many greedy and relaxed approaches to solving (P0). Of particular interest to this paper is OMP [24], a greedy approach to solving (P0). OMP recovers the support of the sparse vector \mathbf{s} , one element at a time, by finding the column of the dictionary that is most correlated with the current residue. In each iteration of the algorithm, there are three steps: first, the index of the atom that is closest in angle to the current residue is added to the support; second, solving a least square problem with the updated support to obtain the current estimate; and third, updating the residue by removing the contribution of the current estimate. Outline of the procedure is given in Algorithm 1.

Algorithm 1 Orthogonal matching pursuit

Require: \mathbf{x} , D , K

$r \leftarrow \mathbf{x}$

$\Omega \leftarrow \emptyset$

$\alpha \leftarrow \phi$

for $n = 1$ to K **do**

$k \leftarrow \arg \max_i |\langle \mathbf{d}_i, r \rangle|$ ▷ (Proxy)

$\Omega \leftarrow \Omega \cup k$ ▷ (Support merge)

$\alpha \leftarrow \arg \min_{\beta} \|\mathbf{x} - D_{|\Omega}\beta\|_2^2$ ▷ (Projection)

$r \leftarrow \mathbf{x} - D_{|\Omega}\alpha$ ▷ (Residue)

end for

return Ω , α

The proxy step and the projection step are the two computationally intensive steps in OMP. The time complexity of the proxy step is $\mathcal{O}(NTK)$, while that of the projection step is $\mathcal{O}(NK^3)$ for K iterations. For very large dictionaries and very sparse representation, the proxy step is the dominating term, which grows linearly with the dictionary size.




Fig. 2: Time versus accuracy for varying dictionary size when denoising $8 \times 8 \times 32$ video patches. Each curve was generated by varying the sparsity level, K , from 8 to 64 in multiples of 2. We observe that it is computationally beneficial to use a dictionary with a larger number of atoms at a smaller sparsity level as opposed to a smaller dictionary at a higher sparsity.

C. Speeding up OMP

A number of techniques have been devoted to speeding up different steps of OMP. For problems in high-dimensionality, i.e. large N , one approach is to project to a lower dimension by obtaining random projections of the dictionary [32]. Specifically, as opposed to the objective $\|\mathbf{x} - D\mathbf{s}\|_2$, we minimize $\|\Phi\mathbf{x} - \Phi D\mathbf{s}\|_2$ where $\Phi \in \mathbb{R}^{M \times N}$, $M < N$, is a random matrix that preserves the geometry of the problem thereby allowing us to do all computations in an M -dimensional space. In the context of high-dimensional data, it is typical to have dictionaries with a very large number of atoms, i.e. $T \gg N$, and in such a setting, the proxy step becomes a bottle neck. The need for large dictionaries is driven by higher accuracy of reconstruction. Empirically, larger dictionaries are needed for higher accuracy, which is evident from the time vs accuracy plot in Figure 2 for denoising of videos.

D. Multi-scale approaches for sparse approximation

Various methods have been proposed to speed up sparse approximation by imposing structure on the coefficients. Such methods employ a tree-like arrangement of the sparse coefficients which give it a logarithmic complexity improvement.

One approach is by using approximate nearest neighbors and shallow-tree based matching [4], [13] to speed up the proxy step. Instead of searching all the elements of the dictionary for closest match, the dictionary is arranged into a shallow tree for fast search. In certain conditions, an $\mathcal{O}(\log(T))$ search complexity can be obtained. However, this results in a reduction in accuracy, as the closest dictionary atom is computed through approximate nearest neighbor method.

Another approach is to restrict the search space by imposing a tree structure on sparse coefficients [16]. Complexity of search would then reduce to $\mathcal{O}(\log(T))$. Restricting search space through prediction has been explored in [13] for approximation by chirplet atoms. The proposed method first finds an approximation to the input signal through a gabor atom first, and subsequently the scale and chirp are optimized locally to get an approximate chirplet atom. Though such methods provide significant speedups, usage is restricted to signals with known structure, such as wavelets for images or hierarchical structure of chirplet atoms for sound.

E. Dictionary learning

For signal classes that have no obvious sparsifying transforms, a promising approach is to *learn* a dictionary that provides sparse representations for the specific signal class of interest. Field and Olshausen [23], in a seminal contribution, showed that patches of natural images were sparsified by a dictionary containing Gabor-like atoms — this provided a connection between sparse coding and the receptor fields in the visual cortex. More recently, Aharon et al. [3] proposed the “K-SVD” algorithm which can be viewed as an extension of the k-means clustering algorithm for dictionary learning. Given a collection of training data $X = [\mathbf{x}_1, \mathbf{x}_2, \dots, \mathbf{x}_Q]$, $\mathbf{x}_i \in \mathbb{R}^N$, K-SVD aims to learn a dictionary $D \in \mathbb{R}^{N \times T}$ such that $X \approx D[s_1, \dots, s_Q]$ with each s_k being K -sparse. This was one of the first forays into learning good dictionaries for sparse representation. However, with increasing complexity and signal dimension, larger dictionaries are needed, which requires larger computation time.

F. Multi-scale dictionary models

Learning dictionary atoms that are innately clustered is an intuitive way of speeding up the approximation process with large dictionaries. Particularly for visual signals, clustering by incorporating scale or spatial complexity of the signal has been explored before. Jayaraman et al. [31] learn dictionaries by a multi-level representation of image patches where simple patches are captured in the early stages while more complex textures are only resolved at the higher levels. Given a set of dictionaries $\{D_1, D_2, \dots, D_L\}$, multi-level dictionary learning is posed as the following optimization problem:

$$\min_{D_l, S_l} \|R_{l-1} - D_l S_l\|^2 \quad \text{s.t.} \quad \|s_i\|_0 \leq 1,$$

where R_{l-1} is the residue after training of D_{l-1} . This provides speedups when solving sparse approximation problems since patches that occur more often are captured at the earlier levels. While speedups are constant when compared to a dictionary of the same size, it does not scale up well to high dimension signals. We propose a similar multiple levels of representation of data across scales which captures complex patterns at finer scales while also incorporating a predictive framework, which gracefully scales with higher dimensions.

Imposing a tree structure on sparse coefficients to learn dictionaries has been explored in the context of images.

Jenatton et al. [15] present a hierarchical dictionary learning mechanism, where they impose a tree structure on the sparsity, which forces the dictionary atoms to cluster like a tree. Though it does give higher accuracy of reconstruction, not much has been said about speed up obtained. Mairal et al. [19] learn a dictionary based on quad-tree models, where each patch is further sub-divided into four non-overlapping patches. While this method gives better accuracy, the algorithm is very slow, as it involves approximations of successive decomposition of a big image patch into smaller image patches. None of the multi-scale learning algorithms exploit the cross-scale structure especially for visual signals.

The goal of this paper is to construct dictionaries endowed with structured sparse representations, similar to the wavelet-tree model, and enable computational speedups in solving sparse approximation problems, for a large class of visual signals which include images, videos and lightfields.

G. Compressive sensing (CS)

An application of sparse representations is in CS where we sense signals from far-fewer measurements than their dimensionality [6]. CS relies on the low-dimensional representations for the sensed signal with sparse representation under a transform or a dictionary being an example of this. There is a rich body of work on applying compressive sensing to imaging or sensing visual signals including images [8], [10] videos [14], [25], [26] and light fields [21], [30]. Most relevant to our paper is the video CS work of Hitomi et al. [14] where a sparsifying dictionary is used on video patches to recover high-speed videos from low-frame rate sensors. Hitomi et al. also demonstrated the accuracy enabled by very large dictionaries; specifically, they obtain remarkable results with a dictionary of $T = 100,000$ atoms for video patches of dimension $N = 7 \times 7 \times 36 = 1764$.

Success of recovery of signals from compressive sensing needs high accuracy and fast recovery methods, something which large dictionaries lack in. As an example, Hitomi et al. claim that the recovery of 36 frames of videos took more than an hour with a 100,000 atom dictionary. This calls for faster recovery methods or better signal models. Particular to visual signals is the multi-scale and predictive representation, which is very well exploited in wavelet representation of images. Extending this to higher dimensional signals is non-trivial, as no known sparsifying wavelet bases are known.

H. Wavelet-tree model

Our proposed method is inspired by multi-resolution representations and tree-models enabled by wavelets. In particular, Baraniuk [5] shows that the non-zero wavelet coefficients form a rooted sub-tree for signals that have trends (smooth variations) and anomalies (edges and discontinuities). Hence, piecewise-smooth signals enjoy a sparse representation with a structured support pattern with the non-zero wavelet coefficients forming a rooted sub-tree. Similar properties have also been shown for 2D images under the separable Haar basis [29]. However, in spite of these elegant results for images,

there are no obvious sparsifying bases for higher-dimensional visual signals like videos and light-field images. To address this, we build cross-scale predictive models, similar to the wavelet tree model, by replacing a basis with an over-complete dictionary that is capable of providing sparse and predictive representation for a wide class of signals.

III. PROPOSED SIGNAL MODEL

A. Proposed cross-scale predictive sparse model

Our signal model extends the notion of multiresolution representation of signals beyond images. Instead of relying on analytical bases for sparseness and prediction, we propose a signal model based on learned dictionaries which retain the properties of both overcomplete dictionaries and wavelet trees. Given a signal f , we can represent it in the multi-resolution [20] manner as:

$$A^{2^j} f(x) = \sum_{k=1}^{N_{2^j}} \lambda_k \phi_k^{2^j}(x) = \Phi^{2^j} \Lambda^{2^j}$$

where A^{2^j} is the projection operator to the 2^j scale space, $\{\phi_k^{2^j}(x)\}$ form a wavelet basis at 2^j scale. Particular to piece wise signals like images, with bases such as separable Haar, the coefficients form a rooted sub-tree. While it is hard to find such analytical bases for an arbitrary signal, we can instead retain the framework, but replacing the bases Φ^{2^j} with overcomplete dictionaries. Hence, we propose a signal model that predicts the support of a signal across scales (see Figure 3). We present our model with two-scale scenario for ease of understanding. Given a collection of signals, $\mathcal{X} \subset \mathbb{R}^N$, our proposed signal model consists of two sparsifying dictionaries $D_{\text{high}} \in \mathbb{R}^{N \times T_{\text{high}}}$ and $D_{\text{low}} \in \mathbb{R}^{N_{\text{low}} \times T_{\text{low}}}$ that satisfy the following three properties.

- *Sparse approximation at the finer scale.* A signal $\mathbf{x} \in \mathcal{X}$ enjoys a K_{high} -sparse representation in D_{high} , i.e., $\mathbf{x} \approx D_{\text{high}} \mathbf{s}_{\text{high}}$ with $\|\mathbf{s}_{\text{high}}\|_0 \leq K_{\text{high}}$.
- *Sparse approximation at the coarser scale.* Given $\mathbf{x} \in \mathcal{X}$ and a downsampling operator $W : \mathbb{R}^N \mapsto \mathbb{R}^{N_{\text{low}}}$, the downsampled signal $\mathbf{x}_{\text{low}} = W\mathbf{x}$ enjoys a sparse representation in D_{low} , i.e., $\mathbf{x}_{\text{low}} \approx D_{\text{low}} \mathbf{s}_{\text{low}}$ with $\|\mathbf{s}_{\text{low}}\|_0 \leq K_{\text{low}}$. The downsampling operator W is domain specific.
- *Cross-scale prediction.* The support of \mathbf{s}_{high} is constrained by the support of \mathbf{s}_{low} ; specifically, $\Omega_{\mathbf{s}_{\text{high}}} \subset f(\Omega_{\mathbf{s}_{\text{low}}})$, where the mapping $f(\cdot)$ is known a priori.

We make a few observations.

Observation 1. $T_{\text{high}} \gg T_{\text{low}}$ since $N_{\text{high}} \gg N_{\text{low}}$. With the increase of dimension of the signal, more complex patterns emerge which require larger number of redundant elements. Empirically we found that the number of atoms in a dictionary increases super linearly with increasing dimension of the signal for a given approximation accuracy (see Figure 2).

Observation 2. Recall that the computational time for OMP is proportional to the number of atoms in the dictionary since, at each iteration of the algorithm, we need to compute the inner product between the residue and the atoms in the dictionary. If




Fig. 3: Proposed cross-scale signal model with sparse coefficients across scales forming a rooted subtree. We analyze the signal \mathbf{x} at multiple scales such that $\mathbf{x}^{(k)}$ is obtained by downsampling it successively k -times. At the k -th scale, we learn a dictionary $D^{(k)}$ such that sparsifies the downsampled signal $\mathbf{x}^{(k)}$, i.e., $\mathbf{x}^{(k)} = D^{(k)} \mathbf{s}^{(k)}$. We arrange the sparse coefficients $\{\mathbf{s}^{(k)}\}$ onto a tree and enforce the cross-scale prediction property as follows: a child atom can take nonzero values only if its parent is nonzero.

we can constrain the search space by constraining the number of atoms, then we can obtain computational speedups.

The proposed model obtains speedups by first solving a sparse approximation problem at the coarse scale and subsequently exploiting the cross-scale prediction property to constrain the support at the finer scale. The source of the speedups relies on two intuitive ideas: first, solving a sparse approximation problem for a problem with fewer atoms (and in smaller dimensions) is faster due to OMP's runtime being linear in the number of atoms of the dictionary used [18]; and second, if we knew the support of \mathbf{s}_{low} , then we can simply discard all atoms in D_{high} that do not belong to $f(\Omega_{\mathbf{s}_{\text{low}}})$ since the support of \mathbf{s}_{high} is guaranteed to lie within $f(\Omega_{\mathbf{s}_{\text{low}}})$.

B. Cross-scale mapping

We propose the following strategy for the cross-scale mapping f . Let $Q = T_{\text{high}}/T_{\text{low}}$ (assuming T_{high} and T_{low} are chosen to ensure Q is an integer). The cross-scale prediction map is defined using this simple rule.

$$i \in \Omega_{\mathbf{s}_{\text{low}}} \implies (i-1)Q + \{1, 2, \dots, Q\} \subset f(\Omega_{\mathbf{s}_{\text{low}}})$$

Each element of the support $\Omega_{\mathbf{s}_{\text{low}}}$ in the coarser scale controls the inclusion/exclusion of a *non-overlapping block* of locations for the sparse vector in the finer scale. As a consequence, the cardinality of $f(\Omega_{\mathbf{s}_{\text{low}}})$ is QK_{low} .

C. Solving inverse problems under the proposed signal model.

We now detail the procedure for solving a sparse approximation problem using the proposed signal model (see Figure 3). Specifically, we seek to recover $\mathbf{x} \in \mathcal{X}$ from a set of linear measurements $\mathbf{y} \in \mathbb{R}^M$ of the form

$$\mathbf{y} = \Phi \mathbf{x} + \mathbf{e} = \Phi D_{\text{high}} \mathbf{s}_{\text{high}} + \mathbf{e},$$

where $\Phi \in \mathbb{R}^{M \times N}$ is the measurement matrix and \mathbf{e} is the measurement noise. As indicated earlier, we obtain \mathbf{s}_{high} using a two-step procedure.

Step 1 — Sparse approximation at the coarse scale. We first solve the following sparse approximation problem:

$$(P_{\text{low}}) \quad \hat{\mathbf{s}}_{\text{low}} = \arg \min_{\mathbf{s}_{\text{low}}} \|\mathbf{y} - \Phi U D_{\text{low}} \mathbf{s}_{\text{low}}\|_2$$

$$\text{s.t.} \quad \|\mathbf{s}_{\text{low}}\|_0 \leq K_{\text{low}}.$$

Here, $U : \mathbb{R}^M \mapsto \mathbb{R}^N$ is an up-sampling operator such that WU is an identity map on $\mathbb{R}^{N_{\text{low}}}$. In all our experiments, we used a uniform down-sampler and a nearest neighbour up sampler specific to the domain of the signal. This step recovers a low-resolution approximation to the signal, $\mathbf{x}_{\text{low}} = D_{\text{low}} \hat{\mathbf{s}}_{\text{low}}$.

Step 2 — Sparse approximation at the finer scale. Armed with the support $\hat{\Omega} = \Omega_{\hat{\mathbf{s}}_{\text{low}}}$, we can solve for \mathbf{s}_{high} by solving:

$$(P_{\text{high}}) \quad (\hat{\mathbf{s}}_{\text{high}})_{|f(\Omega)} = \arg \min_{\alpha} \|\mathbf{y} - \Phi(D_{\text{high}})_{|\Omega} \alpha\|_2$$

$$\text{s.t.} \quad \|\alpha\|_0 \leq K_{\text{high}}.$$

The sparse approximation problems in both steps are solved using OMP. The proposed mapping across scales for the sparse support forms a zero tree, where a coefficient is zero if the corresponding coefficient at coarser scale is zero. Hence we refer to our algorithm as zero tree OMP. Algorithm 2 outlines the zero tree OMP procedure.

Algorithm 2 Zero tree OMP

Require: \mathbf{x} , D_{low} , D_{high} , K_{low} , K_{high} , W

$\mathbf{x}_{\text{low}} \leftarrow W\mathbf{x}$

$r_{\text{low}} \leftarrow \mathbf{x}_{\text{low}}$

$\Omega_{\text{low}} \leftarrow \phi$

$\alpha_{\text{low}} \leftarrow \phi$

for $n = 1$ to K_{low} **do**

$k \leftarrow \arg \max_i |(\mathbf{d}_{\text{low}})_i, r_{\text{low}}|$

$\Omega_{\text{low}} \leftarrow \Omega_{\text{low}} \cup k$

$\alpha_{\text{low}} \leftarrow \arg \min_{\beta} \|\mathbf{x}_{\text{low}} - (D_{\text{low}})_{|\Omega} \beta\|^2$

$r_{\text{low}} \leftarrow \mathbf{x}_{\text{low}} - (D_{\text{low}})_{|\Omega} \alpha_{\text{low}}$

end for

$\hat{D} = (D_{\text{high}})_{|f(\Omega_{\text{low}})}$

$r_{\text{high}} \leftarrow \mathbf{x}_{\text{high}}$

$\Omega_{\text{high}} \leftarrow \phi$

$\alpha_{\text{high}} \leftarrow \phi$

for $n = 1$ to K_{high} **do**

$k \leftarrow \arg \max_i |(\hat{\mathbf{d}}_i, r_{\text{high}})|$

$\Omega_{\text{high}} \leftarrow \Omega_{\text{high}} \cup k$

$\alpha_{\text{high}} \leftarrow \arg \min_{\beta} \|\mathbf{x}_{\text{high}} - \hat{D}_{|\Omega} \beta\|^2$

$r_{\text{high}} \leftarrow \mathbf{x}_{\text{high}} - \hat{D}_{|\Omega} \alpha_{\text{high}}$

end for

return Ω_{high} , α_{high}

D. Theoretical speedup.

We provide expressions for the expected speedups over the traditional single-scale OMP. Since any analysis of speedup has to account for the complexity of implementing Φ , we consider the denoising problem where Φ is the identity matrix.

Let $C(N, T, K)$ be the amount of time required to solve a sparse-approximation problem using OMP for a dictionary of size $N \times T$ and sparsity level K . Hence, obtaining \mathbf{s}_{high} directly

from \mathbf{x} would require $C(N, T_{\text{high}}, K_{\text{high}})$ computations. In contrast, our proposed two-step solution using cross-scale prediction has a computational cost of $C(N_{\text{high}}, T_{\text{low}}, K_{\text{low}}) + C(N, QK_{\text{low}}, K_{\text{high}})$.

To compute the dependence of $C(N, T, K)$ on N, T , and K , recall that for each iteration in the OMP algorithm, we need $\mathcal{O}(NT)$ operations [18] for finding inner product between the residue and the dictionary atoms, $\mathcal{O}(T)$ operations to find the maximally aligned vector and $\mathcal{O}(K^3 + K^2N)$ operations for the least-squares step. Thus,

$$C(N, T, K) = \mathcal{O}(NTK + TK + K^4 + K^3N).$$

For dictionaries with a large number of atoms, i.e., large T , and small values for sparsity level K , the linear dependence on N dominates the total computation time. Here, the speedup provided by our algorithm is approximately $T_{\text{high}}/(T_{\text{low}} + K_{\text{low}}Q)$.

E. Learning cross-scale sparse models.

We can learn the dictionaries $(D_{\text{high}}, D_{\text{low}})$ with a simple modification to the K-SVD algorithm.

Inputs. The inputs to the learning/training phases are the training dataset $X = [\mathbf{x}_1, \mathbf{x}_2, \dots, \mathbf{x}_n]$ and the values for the parameters $K_{\text{high}}, K_{\text{low}}, T_{\text{high}}$, and T_{low} .

Step 1 — Learning D_{low} . We learn the coarse-scale dictionary D_{low} by applying K-SVD to downsampled training dataset $X_{\text{low}} = [W\mathbf{x}_1, W\mathbf{x}_2, \dots, W\mathbf{x}_n]$. As a by-product of learning the dictionary are the supports $\{\Omega_{s_{\text{low}}, k_{\text{low}}}\}$ of the sparse approximations of the downsampled training dataset.

Step 2 — Learning D_{high} . We learn the fine-scale dictionary $D_{\text{high}} = [\mathbf{d}_1, \dots, \mathbf{d}_{T_{\text{high}}}]$ by solving

$$\min_{D_{\text{high}}, S_{\text{high}}} \|Y - D_{\text{high}} S_{\text{high}}\|_F \text{ s.t.} \quad \|\mathbf{d}_k\|_2 = 1,$$

$$\text{support}(S_{\text{high}}) \subset f(\Omega_{\text{low}, k})$$

The above optimization problem can be solved simply by modifying the sparse approximation step of K-SVD to restrict the support appropriately. Figures 4, 5, and 6 show examples of the learnt low-resolution atoms and the corresponding high-resolution atoms for images, videos and light fields. Observe that constraining the sparse support of the high-resolution approximation alone learns patches which are very similar in appearance to the low-resolution patches, which supports our proposed signal model.

As a consequence of speed up in approximation step, dictionary learning by proposed method is also faster. Recall that K-SVD alternates between dictionary learning and sparse approximation. Since the modified K-SVD algorithm replaces OMP by our proposed zero-tree OMP, the overall time taken for each iteration reduces, thus speeding up the learning the dictionaries with our proposed algorithm.

F. Parameter selection

The design parameters in the two scale dictionary training are $K_{\text{low}}, K_{\text{high}}, T_{\text{low}}$, and T_{high} . K_{low} can be chosen to fine tune the accuracy at lower scales. For compressive sensing




Fig. 4: Visualization of select low-resolution atoms and their corresponding atoms in the high resolution dictionary; top – low resolution atoms, scaled up to show features clearly; bottom – corresponding high resolution atoms per each low resolution atom. By restricting the support set of higher resolution approximation, our method learns child atoms similar to parent atom.




Fig. 5: Visualization of frames of a $8 \times 8 \times 32$ parent and select children atoms. Notice that the child atoms have similar motion pattern to the parent atom, with added spatial details.




Fig. 6: Visualization of a $4 \times 4 \times 2 \times 2$ parent atom (left) and frames of select $8 \times 8 \times 4 \times 4$ high resolution child atoms. The low resolution atoms have been scaled up by a factor of 2 to show features clearly. The various sub-aperture views in child atoms are similar to the parent atoms but with added spatial details.

purposes, lower sparsity promises better reconstruction results. Hence a K_{low} gives better results. We found that K_{low} in range of 2 – 4 works well. K_{high} should be greater than or equal to K_{low} , as at least one atom corresponding to the low resolution atom will be picked. T_{low} and T_{high} were chosen as would be appropriate for the signal dimension, N_{low} and N_{high} respectively.

G. Initialization of dictionary

Since the dictionary learning objective as well as the multi-scale dictionary learning objective are non-convex, the solution obtained depends on the initialization. Elad et al. [12] proposed

certain initialization and update heuristics which give better results. Along the same lines, we propose the following heuristics for better results

- 1) The lowest resolution dictionary may be initialized as proposed in [12]. In our experiments, we initialized by picking T_{low} training patches randomly.
- 2) For initializing higher resolution dictionaries, we use low resolution dictionary information. Let D_{low} be available for the first step of multi-scale dictionary training. Let $\Omega_k = \{i : W\mathbf{x}_j \approx \alpha_{j,k}\mathbf{d}_{\text{low},k} + r_j \quad \forall j = 1, 2, \dots, n\}$. Then, $\mathbf{d}_{\text{high},j}, \forall j \in f(k)$ is randomly initialized from the sub training samples, $X_{|\Omega_k}$.

Signal Class	N	N_{low}	T_{low}	T_{high}	K_{low}	K_{high}	Denoising			Inpainting			
							Speedup	Single scale (dB)	Multi-scale (dB)	N/M	Speedup	Single scale (dB)	Multi-scale (dB)
Images	8x8	4x4	64	512	4	6	3.86	19.6	18.6	5	1.61	18.52	18.3
	24x24	12x12	512	8192	4	6	40.72	21.3	19.9	5	16.12	20.8	19.6
Videos	8x8x32	4x4x16	512	8192	4	6	23.00	19.36	20.14	8	7.9	16.63	16.32
Light-field	4x4x8x8	2x2x4x4	1024	8192	4	6	66.34	23.13	26.32	2	19.07	15.9	17.75

TABLE I: Table with speed up and accuracy for denoising and CS with various class of signal. Denoising was performed with 15dB SNR conditions. N/M represents the number of unknowns per each known variable.

- 3) An unused atom from the lowest resolution dictionary may be replaced by the least represented training sample, as proposed in [12].
- 4) Let Ω_k be as defined above. Then an unused atom in a higher resolution dictionary may be replaced from the least represented training sampling in X_{Ω_k} .

IV. EXPERIMENTAL RESULTS

A. Simulation details

To validate our signal model, we show that our signal model performs as good as a large dictionary with runtimes compared to that of a small dictionary. We trained dictionaries over various classes of visual signals to emphasize the ubiquity of our signal model. Comparisons were made against a small dictionary with (1) N_{low} atoms, (2) a large dictionary with N_{high} atoms, (3) our proposed multiscale dictionary with N_{low} low resolution and N_{high} high resolution atoms and finally, (4) a N_{high} multi-level dictionary with N_{low} levels, as proposed by Jayaraman et al. [31]. We quantify the approximation accuracy using recovered SNR that is defined as follows: given a signal \mathbf{x} and its estimate $\hat{\mathbf{x}}$, $SNR = 20 \log_{10}(\|\mathbf{x}\|/\|\mathbf{x} - \hat{\mathbf{x}}\|)$.

B. Images

We trained dictionaries with $N_{low} = 512$ and $N_{high} = 8192$ on 24×24 image patches and downsampled patches of dimension 12×12 . Figure 1 shows demosaicing of the Bayer pattern using a large single scale dictionary and our proposed method. We trained an 8192 atom high resolution dictionary on 24×24 Kodak True color RGB images [1] and 512 atom low resolution dictionary on the patches downsampled to 12×12 . We compare this against 8192 atom single scale dictionary. It took 16 minutes for the single scale with an approximation accuracy of 18.45dB, whereas only 1.5 minutes with an approximation accuracy of 18.43dB for the two scale dictionary.

Figure 7 shows image denoising at an SNR of 10dB. We perform denoising with the trained RGB dictionaries of 24×24 patch and with a patch overlap of 18 pixels. With hardly any reduction in accuracy, our method performs 22 \times faster. Figure 8 compares the performance of various dictionaries for denoising and CS tasks for two representative images. For




Fig. 7: Visualization of results for image denoising. Clockwise from top left, original image, noisy image with SNR of 10dB, recovered image using proposed method, and recovered image using K-SVD learned dictionary. We obtain a speedup of 22 \times with less than 1dB reduction in accuracy.

CS, we retained known pixel values only at a fraction of the locations and recovered the complete image. For both the cases, our dictionary outperforms other methods. Speed ups obtained for denoising and CS is summarized in Table I. With 1dB or less loss in accuracy, our method offers significant speed ups for all image processing tasks.




Fig. 8: Performance on (top-row) denoising with additive Gaussian noise and (bottom-row) inpainting with randomly removed pixels for two images — (left column) peppers and (right) budgerig. Here, N/M represents the number of unknowns per each known. See section IV-A for details about each dictionary. The proposed method provides better reconstruction accuracy over competing methods.

C. Videos

We trained dictionaries with $N_{\text{low}} = 512$ and $N_{\text{high}} = 8192$ on $8 \times 8 \times 32$ video patches and downsampled video patches of dimension $4 \times 4 \times 16$. We show empirically that our signal model outperforms single scale dictionaries in terms of speed and accuracy. Figure 9 show the comparison of single scale dictionaries of various size and zero-tree dictionary for denoising of videos. For the same time of approximation, our method gives the highest accuracy. Put it another way, for the same accuracy, our signal model takes the least time.

Figure 10 shows the performance of various dictionaries for denoising and CS tasks and Figure 11 show results for CS of videos. For CS, we combined multiple frames into a coded image, as proposed by Hitomi et al. [14]. Speedup in denoising was $20\times$ while that for CS was between $5\times$ and $15\times$, depending on the number of measurements. Performance for video denoising and CS has been summarized in Table I. Speedups obtained for videos is much higher than for images with less than 1dB loss in accuracy. Results are significantly better visually too, as can be seen in Figure 11, from the smoother spatial profile compared to reconstruction with single scale dictionary.

D. Lightfield images

We trained dictionaries with $N_{\text{low}} = 512$ and $N_{\text{high}} = 8192$ on $4 \times 4 \times 8 \times 8$ video patches and downsampled video patches of dimension $2 \times 2 \times 4 \times 4$. Figure 12 shows the performance




Fig. 9: Time vs accuracy for denoising of videos at 15dB input noise, with single scale dictionary and proposed multi-scale dictionary. Dictionaries of sizes 256, 512, 1024, 4096 and 8192 are compared against a zero tree dictionary of 8192 atoms of high resolution and 512 atoms of low resolution, with $K_{\text{low}} = 6$ and $K_{\text{high}} = 8$. At high approximation accuracies, our method outperforms large dictionaries in run-time time.




Fig. 10: Reconstruction performance on (top-row) denoising with additive Gaussian noise and (bottom) compressive sensing using the imaging architecture of Hitomi et al. [14] for two different videos — (left) sharpner and (right) egg drop. Here, N/M represents the number of frames reconstructed from each coded image.

of various dictionaries for denoising and CS tasks and Figure 13 shows results for CS of lightfields. For CS, we simulated acquisition of images with multiple coded aperture settings, proposed in [17]. Performance metrics for denoising and CS




Fig. 11: Visualization of reconstructed frames for (top-row) sharpner and (bottom) egg drop videos; (columns: from left-to-right) ground truth, reconstruction with single scale dictionary; reconstruction with two scale dictionary. The proposed method provides a speedup of $14\times$ over OMP with a modest 2-4 dB improvement in reconstruction SNR.




Fig. 12: Reconstruction performance on (top row) denoising and (bottom) CS with imaging architecture of Liang et al. [17] for two different lightfields – (left column) Buddha and (right) Dragons. Here, N/M represents the number of sub-aperture views recovered for each coded aperture image.

has been summarized in Table I. Our method not just offers a $19 - 60\times$ speed up, but there is an increase in reconstruction accuracy. Improved results can be observed visually in the reconstruction results of the Dragons and Buddha datasets in

Figure 13 from compressive measurements.

E. Experiments on real data

We tested our algorithm on real data collected by Hitomi et al. [14]. A $320 \times 320 \times 18$ video was reconstructed from a 320×320 coded image. We compared reconstruction with our zero-tree dictionary and the dictionaries of 10,000 and 100,000 atoms trained by Hitomi et al. Figure 14 show the reconstruction results for a bouncing ball and a toy airplane respectively with the time taken for reconstruction. Notice that the results are visually similar while our method is faster by $6\times$ compared to the stock 10,000 atom dictionary. In case of the bouncing ball, the number “4” has been better resolved in our result as well.

F. Summary

Table II and Figures 8, 10 and 12 quantify the performance of the proposed signal model and those obtained using K-SVD for a wide range of parameters as well as signals. Across the board, we observe that the proposed framework provides accuracy that are as good as those obtained with K-SVD, but with speedups that are $4 - 10\times$ for small-sized problems and $20 - 110\times$ for larger problems. The speedups obtained are comparable to results in [4] with higher approximation accuracies for our proposed method. As a result of speed up of the sparse coding step, we also get significant speed ups during the training phase ($2 - 40\times$) using modified K-SVD, which makes it feasible to deal with very large problems.




Fig. 13: Visualization of reconstructed sub-aperture views for (top-row) Buddha and (bottom) dragon light fields; (columns: from left-to-right) ground truth, reconstruction with single scale dictionary; reconstruction with two scale dictionary. The epipolar slices have been scaled up to show features clearly. The proposed method enables a $10\times$ speed up along with an increase of 1 – 4 dB in reconstruction SNR.




Fig. 14: Reconstruction from real data for two scenes from [14]. For each of the scenes, clockwise from top left: coded image, reconstruction with 10,000 atom dictionary, reconstruction with 100,000 atom dictionary and reconstruction with the proposed two-scale dictionary. The proposed method provides a $6\times$ speed up over the 10,000 atom dictionary at an improved visual quality — for example, the number “4” is rendered with lesser artifacts in our reconstruction.

V. CONCLUSION AND DISCUSSIONS

We presented a signal model that enables the cross scale predictability for visual signals. Our method is particularly appealing because of the simple extension to the existing OMP and K-SVD algorithms while providing significant speed ups

at little or no loss in accuracy. The computational gains provided by our algorithm are especially significant for problems involving high-dimensional dictionaries with a large number of atoms.

Signal Class	N	N_{low}	T_{low}	T_{high}	K_{low}	K_{high}	Speedup	Single scale (dB)	Multi-scale (dB)	Legend
Images	8x8	4x4	64	1024	8	8	4.10	21.98	20.67	N Size of the high resolution signal
	24x24x3	12x12x3	512	8192	8	8	22.6	20.57	19.64	N_{low} Size of the low resolution signal
Videos	8x8x16	4x4x8	512	8192	16	16	15.87	24.09	22.62	T_{low} Number of atoms in low resolution dictionary
	8x8x16	4x4x8	512	8192	14	16	15.80	24.09	22.75	T_{high} Number of atoms in high resolution dictionary
	8x8x32	4x4x16	512	8192	16	16	23.81	21.36	20.72	K_{low} Sparsity used in low resolution dictionary
	8x8x16	4x4x8	512	16384	16	16	16.89	23.27	21.84	K_{high} Sparsity used in high resolution dictionary
Light-field Images	4x4x8x8	2x2x4x4	2048	32768	4	4	111.02	21.73	19.91	$Speedup$ Ratio of time taken for single scale approximation by time taken for two scale approximation
	4x4x8x8	2x2x4x4	1024	8192	4	6	66.34	23.45	23.04	

TABLE II: Table with speed up for various dictionary sizes, patch sizes and sparsity. The speed up shown are for solving sparse approximation problems and quantify the ratio of time taken by OMP using a K-SVD learnt dictionary to zero tree OMP on the proposed model. Also shown are approximation errors on training dataset for both K-SVD and the proposed algorithm.

A. Limitations

In order to get higher accuracy of construction, the sparsity levels need to be higher than that for large scale dictionaries with the same number of atoms as the high resolution dictionary. This is however not a major drawback, as the speedups are still significant in spite of the increased sparsity levels.

Table II shows that the model accuracy for our proposed signal model is lower than that of large dictionary. This is due to two reasons:

- 1) K-SVD algorithm, being a non-convex optimization framework, is very sensitive to initialization. The initialization proposed in this paper is at best a heuristic. Better results can be obtained with better initialization methods.
- 2) The dictionary update step for the proposed modified K-SVD algorithm runs independent of the sparse approximation step. A better approach would be to modify the dictionary update step to incorporate the interdependence of sparse coefficients.

We propose a signal model and one method of solving sparse approximation with this signal model. Future work in this direction would involve better algorithms with the provided framework with stronger theoretical results.

B. Connections to super resolution using dictionaries

Roman et al. [34] learn a pair of low resolution and high resolution dictionary using the same sparsity pattern for the two dictionaries. Given a low resolution patch \mathbf{y}_{low} , they solve the sparse approximation problem $\mathbf{y}_{low} \approx D_{low}\mathbf{s}$ and then super resolve the image as $\mathbf{y} = D_{high}\mathbf{s}$. In contrast, our method requires the high resolution image, and uses the sparse representation of the downsampled image to predict the high resolution sparse representation. While the primary aim of [34] is image-based super resolution, our method can accommodate any inverse problem based on sparse approximation.

ACKNOWLEDGEMENT

This work has been supported in part by Intel ISRA on Compressive Sensing. The authors also thank Tsung-Han Lin,

Gokce Keskin, Chengjie Gu, and Yanjing Li for valuable discussions.

REFERENCES

- [1] Kodak lossless true color image suite. <http://r0k.us/graphics/kodak/>. Last accessed: 2015-10-05.
- [2] E. Adelson, E. Simoncelli, and W. T. Freeman. Pyramids and multiscale representations. *Representations and Vision, Gorea A.,(Ed.)*. Cambridge University Press, Cambridge, 1991.
- [3] M. Aharon, M. Elad, and A. Bruckstein. K-SVD: An algorithm for designing overcomplete dictionaries for sparse representation. *IEEE Trans. Signal Processing*, 54(11):4311–4322, 2006.
- [4] A. Ayremlou, T. Goldstein, A. Veeraraghavan, and R. G. Baraniuk. Fast sublinear sparse representation using shallow tree matching pursuit. *arXiv preprint arXiv:1412.0680*, 2014.
- [5] R. G. Baraniuk. Optimal tree approximation with wavelets. In *SPIE Intl. Symp. Optical Science, Engineering, and Instrumentation*, 1999.
- [6] R. G. Baraniuk. Compressive sensing. *IEEE Signal Processing Magazine*, 24(4), 2007.
- [7] R. G. Baraniuk, V. Cevher, M. F. Duarte, and C. Hegde. Model-based compressive sensing. *IEEE Trans. Information Theory*, 56(4):1982–2001, 2010.
- [8] H. Chen, M. S. Asif, A. C. Sankaranarayanan, and A. Veeraraghavan. Fpa-cs: Focal plane array-based compressive imaging in short-wave infrared. In *IEEE Conf. Computer Vision and Pattern Recognition (CVPR)*, pages 2358–2366, 2015.
- [9] S. Deutsch, A. Averbush, and S. Dekel. Adaptive compressed image sensing based on wavelet modeling and direct sampling. In *SAMPTA*, 2009.
- [10] M. F. Duarte, M. A. Davenport, D. Takhar, J. N. Laska, T. Sun, K. E. Kelly, R. G. Baraniuk, et al. Single-pixel imaging via compressive sampling. *IEEE Signal Processing Magazine*, 25(2):83, 2008.
- [11] M. Elad. *Sparse and redundant representations: From theory to applications in signal and image processing*. Springer, 2010.
- [12] M. Elad and M. Aharon. Image denoising via sparse and redundant representations over learned dictionaries. *IEEE Trans., Image Processing*, 15(12):3736–3745, 2006.
- [13] R. Gribonval. Fast matching pursuit with a multiscale dictionary of gaussian chirps. *IEEE Trans. Signal Processing*, 49(5), 2001.
- [14] Y. Hitomi, J. Gu, M. Gupta, T. Mitsunaga, and S. K. Nayar. Video from a single coded exposure photograph using a learned over-complete dictionary. In *IEEE Intl. Conf. Computer Vision*, 2011.
- [15] R. Jenatton, J. Mairal, F. R. Bach, and G. R. Obozinski. Proximal methods for sparse hierarchical dictionary learning. In *Intl. Conf., Machine Learning*, 2010.
- [16] C. La and M. N. Do. Tree-based orthogonal matching pursuit algorithm for signal reconstruction. In *IEEE Intl. Conf. Image Processing*, 2006.
- [17] C.-K. Liang, T.-H. Lin, B.-Y. Wong, C. Liu, and H. H. Chen. Programmable aperture photography: multiplexed light field acquisition. In *ACM Trans. Graphics (TOG)*, 2008.
- [18] B. Mailhé, R. Gribonval, F. Bimbot, and P. Vandergheynst. A low complexity orthogonal matching pursuit for sparse signal approximation with shift-invariant dictionaries. In *IEEE Intl. Conf. Acoustics, Speech, Signal Processing*, 2009.

- [19] J. Mairal, G. Sapiro, and M. Elad. Multiscale sparse image representation with learned dictionaries. In *IEEE Intl. Conf. Image Processing*, 2007.
- [20] S. G. Mallat. A theory for multiresolution signal decomposition: the wavelet representation. *IEEE trans. pattern analysis and machine intelligence*, 11(7):674–693, 1989.
- [21] K. Marwah, G. Wetzstein, Y. Bando, and R. Raskar. Compressive light field photography using overcomplete dictionaries and optimized projections. *ACM Trans. Graphics*, 32:46, 2013.
- [22] B. K. Natarajan. Sparse approximate solutions to linear systems. *SIAM j. computing*, 24(2):227–234, 1995.
- [23] B. A. Olshausen and D. J. Field. Sparse coding with an overcomplete basis set: A strategy employed by V1? *Vision research*, 37(23):3311–3325, 1997.
- [24] Y. C. Pati, R. Rezaifar, and P. S. Krishnaprasad. Orthogonal matching pursuit: Recursive function approximation with applications to wavelet decomposition. In *Asilomar Conf. Signals, Systems, Computers*, 1993.
- [25] D. Reddy, A. Veeraraghavan, and R. Chellappa. P2c2: Programmable pixel compressive camera for high speed imaging. In *Computer Vision and Pattern Recognition (CVPR), IEEE Conf.*, pages 329–336, 2011.
- [26] A. C. Sankaranarayanan, C. Studer, and R. G. Baraniuk. Cs-muvi: Video compressive sensing for spatial-multiplexing cameras. In *IEEE Intl. Conf. Comp. Photography (ICCP)*, pages 1–10, 2012.
- [27] V. Saragadam, A. C. Sankaranarayanan, and X. Li. Cross-scale predictive dictionaries for image and video restoration. In *IEEE Intl. Conf. Image Processing (ICIP)*, 2016.
- [28] A. Secker and D. Taubman. Lifting-based invertible motion adaptive transform (limat) framework for highly scalable video compression. *IEEE Trans. Image Processing*, 12(12):1530–1542, 2003.
- [29] J. M. Shapiro. Embedded image coding using zerotrees of wavelet coefficients. *IEEE Trans. Signal Processing*, 41(12):3445–3462, 1993.
- [30] S. Tambe, A. Veeraraghavan, and A. Agrawal. Towards motion aware light field video for dynamic scenes. In *IEEE Intl. Conf. Computer Vision*, 2013.
- [31] J. J. Thiagarajan, K. N. Ramamurthy, and A. Spanias. Learning stable multilevel dictionaries for sparse representations. *IEEE trans. neural networks and learning systems*, 26(9):1913–1926, 2015.
- [32] S. N. Vitaladevuni, P. Natarajan, and R. Prasad. Efficient orthogonal matching pursuit using sparse random projections for scene and video classification. In *IEEE Intl. Conf. Computer Vision*, 2011.
- [33] M. J. Wainwright, E. P. Simoncelli, and A. S. Willsky. Random cascades on wavelet trees and their use in analyzing and modeling natural images. *Appl. Comp. Harmonic Analysis*, 11(1):89–123, 2001.
- [34] R. Zeyde, M. Elad, and M. Protter. On single image scale-up using sparse-representations. In *Curves and Surfaces*, pages 711–730. Springer, 2012.